



shop.vac[®] BRAND Consumer Series

CONTENTS

Page 2



MODEL	GALLONS*	PEAK HP
5940500	5 Gallons	2.0 Peak HP
5940600	6 Gallons	2.5 Peak HP

Pages 3 and 4



MODEL	GALLONS*	PEAK HP
5960600	6 Gallons	2.75 Peak HP
5867000	8 Gallons	3.0 Peak HP
5867100	10 Gallons	3.5 Peak HP
5867200	12 Gallons	4.5 Peak HP

Pages 5 and 6



MODEL	GALLONS*	PEAK HP
5960700	6 Gallons	3.0 Peak HP
5867300	8 Gallons	3.5 Peak HP
5867400	12 Gallons	5.0 Peak HP
5867500	16 Gallons	6.5 Peak HP
5867600	20 Gallons	6.5 Peak HP

Page 7



MODEL	GALLONS*	PEAK HP
9631200	12 Gallons	4.5 Peak HP

Page 8



MODEL	GALLONS*	PEAK HP
9601000	10 Gallons	3.5 Peak HP

Page 9



MODEL	GALLONS*	PEAK HP
9520100	3.5 Gallons	3.0 Peak HP
2011600	1 Gallons	1.5 Peak HP

Page 10



MODEL	GALLONS*	PEAK HP
2012500	1.5 Gallons	2.0 Peak HP
5890200	2.5 Gallons	2.5 Peak HP

Page 11 and 12



MODEL	GALLONS*	PEAK HP
9639000	32 Gallons	See page for specifications.
9639100	N/A	

Page 13



MODEL	GALLONS*	PEAK HP
1030100	N/A	See page for specifications.
1032000	N/A	

Page 14



MODEL	GALLONS*	PEAK HP
1030000	N/A	See page for specifications.

* Working capacity may vary based on use.

shop·vac[®]

QUIET™ Series

The economical choice to give you the power to take the work out of cleaning up.

FEATURES:



Built in top and side carry handles for easier lifting.



Easy reach on/off switch conveniently located on top of unit.



Rear blower port instantly converts vac to a powerful blower.



Inlet accepts 2½" and 1¼" hose for versatile accessory use.



5940500
5 Gallon*
2.0 Peak HP



5940600
6 Gallon*
2.5 Peak HP

TYPICAL CHARACTERISTICS**

CORD	6 ft.
CARTON DIMENSIONS	13½" x 13½" x 18½"
CUBE	1.95
SHIPPING WEIGHT	12
UPC	0 26282 59405 1
CUBIC FT/MINUTE	128
ELECTRIC RATING	120V~ 60Hz 6.9A
SEALED PRESSURE (inches of water)	54
AIR WATTS	205

CORD	6 ft.
CARTON DIMENSIONS	13½" x 13½" x 19¾"
CUBE	2.08
SHIPPING WEIGHT	13
UPC	0 26282 59406 8
CUBIC FT/MINUTE	130
ELECTRIC RATING	120V~ 60Hz 7.5A
SEALED PRESSURE (inches of water)	56
AIR WATTS	208

** Specifications subject to change without notice.



7' x 1¼" hose, (3) extension wands, 10" wet/dry nozzle, foam sleeve and reusable dry filter.



7' x 1¼" hose, (3) extension wands, 10" wet/dry nozzle, foam sleeve and reusable dry filter.



Great for wet pick up



Dry pick up



Clogged drains



A powerful motor that's quieter than ever



Accessories for wet/dry messes



Backed by a super two year warranty



Customer service is a phone call away

* Working capacity may vary based on use.

shop-vac®

QUIET PLUS™ Series

These wet/dry vacs offer an even greater range of quiet power. With motors ranging from 2.75 to 4.5 peak horsepower, we can equip you with the power you need, for any mess . . . wet or dry.

FEATURES:



Convenient cord wrap keeps power cord untangled. (excluding 5960600)



Easy reach on/off switch conveniently located on top of the unit.



5960600
6 Gallon*
2.75 Peak HP



5867000
8 Gallon*
3.0 Peak HP

TYPICAL CHARACTERISTICS**

CORD	6ft.
CARTON DIMENSIONS	13½" x 13½" x 20¾"
CUBE	2.19
SHIPPING WEIGHT	13
UPC	0 26282 59606 2
CUBIC FT/MINUTE	133
ELECTRIC RATING	120V~ 60Hz 7.6A
SEALED PRESSURE (inches of water)	56
AIR WATTS	240

CORD	6ft.
CARTON DIMENSIONS	16½" x 16½" x 20¾"
CUBE	3.27
SHIPPING WEIGHT	16
UPC	0 26282 58670 4
CUBIC FT/MINUTE	143
ELECTRIC RATING	120V~ 60Hz 8.5A
SEALED PRESSURE (inches of water)	57
AIR WATTS	260

** Specifications subject to change without notice.



7' x 1¼" hose, (3) extension wands, 10" wet/dry nozzle, tool holder, foam sleeve, reusable dry filter and disposable filter bag.



7' x 1¼" hose, (3) extension wands, 10" wet/dry nozzle, tool holder, foam sleeve, reusable dry filter and disposable filter bag.



Great for wet pick up



Dry pick up



Clogged drains



Even more powerful motors that are quieter than before



Turn your vac into a powerful blower



Backed by a super two year warranty



Customer service is a phone call away

shop-vac®

QUIET PLUS™

FEATURES:



Built in top and side handles make transporting your vac easier.



Rear blower port instantly converts vac to a powerful blower.



On board accessory storage keeps all your tools organized.



Inlet accepts 2½" and 1¼" hose for versatile accessory use.



5867100

10 Gallon*
3.5 Peak HP



5867200

12 Gallon*
4.5 Peak HP

TYPICAL CHARACTERISTICS**

CORD	6 ft.
CARTON DIMENSIONS	16½" x 16½" x 23¾"
CUBE	3.74
SHIPPING WEIGHT	17
UPC	0 26282 58671 1
CUBIC FT/MINUTE	145
ELECTRIC RATING	120V~ 60Hz 8.6A
SEALED PRESSURE (inches of water)	58
AIR WATTS	270

CORD	6 ft.
CARTON DIMENSIONS	18½" x 18½" x 23"
CUBE	4.56
SHIPPING WEIGHT	20
UPC	0 26282 58672 8
CUBIC FT/MINUTE	175
ELECTRIC RATING	120V~ 60Hz 9A
SEALED PRESSURE (inches of water)	60
AIR WATTS	320

** Specifications subject to change without notice.



7' x 1¼" hose, (3) extension wands, 10" wet/dry nozzle, tool holder, foam sleeve, reusable dry filter and disposable filter bag.



7' x 1¼" hose, (3) extension wands, 10" wet/dry nozzle, tool holder, foam sleeve, reusable dry filter and disposable filter bag.



Wet pick up



Dry pick up



Flooded basements



Clogged sinks



Hard to reach places



Kitchen spills



Workshops

shop·vac®

QSP® QUIET **DELUXE**® Series

These wet/dry vacs offer the greatest range of quiet power. From 3.0 to 6.5 peak horsepower, the Quiet Deluxe series offers the maximum power you need for the toughest messes . . . wet or dry.

FEATURES:



Convenient cord wrap keeps power cord untangled.



Easy reach on/off switch conveniently located on top of the unit.



5960700
6 Gallon*
3.0 Peak HP



5867300
8 Gallon*
3.5 Peak HP



5867400
12 Gallon*
5.0 Peak HP

TYPICAL CHARACTERISTICS**

CORD	6 ft.
CARTON DIMENSIONS	13 ³ / ₄ " x 13 ³ / ₄ " x 24"
CUBE	2.63
SHIPPING WEIGHT	15
UPC	0 26282 59607 9
CUBIC FT/MINUTE	143
ELECTRIC RATING	120V~ 60Hz 8.4A
SEALED PRESSURE (inches of water)	57
AIR WATTS	260

CORD	6 ft.
CARTON DIMENSIONS	16 ⁵ / ₈ " x 16 ⁵ / ₈ " x 20 ³ / ₄ "
CUBE	3.32
SHIPPING WEIGHT	17
UPC	0 26282 58673 5
CUBIC FT/MINUTE	145
ELECTRIC RATING	120V~ 60Hz 8.6A
SEALED PRESSURE (inches of water)	58
AIR WATTS	270

CORD	12 ft.
CARTON DIMENSIONS	18 ¹ / ₄ " x 18 ¹ / ₄ " x 23 ¹ / ₈ "
CUBE	4.46
SHIPPING WEIGHT	24
UPC	0 26282 58674 2
CUBIC FT/MINUTE	190
ELECTRIC RATING	120V~ 60Hz 11.3A
SEALED PRESSURE (inches of water)	59
AIR WATTS	340



7' x 1¹/₄" hose, (3) extension wands, 10" wet/dry nozzle, tool holder, ProLong® cartridge filter and disposable filter bag.



7' x 1¹/₄" hose, (3) extension wands, 10" wet/dry nozzle, tool holder, ProLong® cartridge filter and disposable filter bag.



8' x 2¹/₂" hose, (2) extension wands, 14" wet/dry floor nozzle, 14" brush shoe, 14" squeegee shoe, crevice tool, tool holder, ProLong® cartridge filter and disposable filter bag.



Great for wet pick up



Dry pick up



Large and fine debris



Even more powerful motors that are quieter than before



Turn your vac into a powerful blower



Backed by a super three year warranty



Customer service is a phone call away

** Specifications subject to change without notice.

FEATURES:



Built in top and side handles make transporting your vac easier.



Rear blower port instantly converts vac into a powerful blower.



Extra large tank drain makes emptying water easier (not all models).



Onboard accessory storage keeps all your tools organized.



Inlet accepts 2½" and 1¼" hose for versatile accessory use.



5867500

16 Gallon*
6.5 Peak HP



5867600

20 Gallon*
6.5 Peak HP

TYPICAL CHARACTERISTICS**

CORD	12 ft.
CARTON DIMENSIONS	19 ⁵ / ₈ " x 19 ⁵ / ₈ " x 22 ¹ / ₄ "
CUBE	4.96
SHIPPING WEIGHT	27
UPC	0 26282 58675 9
CUBIC FT/MINUTE	210
ELECTRIC RATING	120V~ 60Hz 12A
SEALED PRESSURE (inches of water)	60
AIR WATTS	390

CORD	12 ft.
CARTON DIMENSIONS	19 ³ / ₄ " x 19 ³ / ₄ " x 32 ¹ / ₂ "
CUBE	7.34
SHIPPING WEIGHT	32
UPC	0 26282 58676 6
CUBIC FT/MINUTE	210
ELECTRIC RATING	120V~ 60Hz 12A
SEALED PRESSURE (inches of water)	60
AIR WATTS	390

** Specifications subject to change without notice.

ACCESSORIES



8' x 2½" hose, (2) extension wands, 14" wet/dry floor nozzle, 14" brush shoe, 14" squeegee shoe, crevice tool, tool holder, ProLong® cartridge filter and disposable filter bag.

ACCESSORIES



8' x 2½" hose, (2) extension wands, 14" wet/dry floor nozzle, 14" brush shoe, 14" squeegee shoe, crevice tool, tool storage basket, ProLong® cartridge filter and disposable filter bag.



Clogged drains



Corners and crevices



Garage floors



Clogged sinks



Accessory assortment



Fine particles pick up easily with efficient filters



Get support on our web site: www.shopvac.com

shop·vac®

ULTRA **BLOWER** VAC

Wet/Dry Vac with **DETACHABLE BLOWER**

This Blower Vac gives you the wet/dry vacuum that can also be converted into a handheld, detachable blower.



9631200
12 Gallon*
4.5 Peak HP

TYPICAL CHARACTERISTICS**

CORD	18 ft.
CARTON DIMENSIONS	18 1/8" x 18 1/8" x 22 1/4"
CUBE	4.23
SHIPPING WEIGHT	23
UPC	0 26282 96312 3
CUBIC FT/MINUTE	145
ELECTRIC RATING	120V~ 60Hz 9.5A
SEALED PRESSURE (inches of water)	55
AIR WATTS	305

** Specifications subject to change without notice.



7' x 1 1/4" Lock-On® hose, (3) 1 1/4" extension wands, 10" wet/dry nozzle, (1) 2 1/2" extension wand, concentrator nozzle, blower nozzle, tool holder, foam sleeve and ProLong® cartridge filter.

Use it as a **WET/DRY VAC...**



OR



Use it as a **POWERFUL BLOWER!**

FEATURES:



Detachable blower, quick and easy.



Convenient tool holder, tools are right there when you need them.



LOCK-ON hose.



Extra large tank drain.



Great for wet pick up



Dry pick up



Leaf clean up



A powerful motor that is quieter than ever



Handheld detachable blower



Backed by a super three year warranty



Customer service is a phone call away

The Pump vac gives you a wet/dry vacuum with a built in water pump.

shop·vac®

PUMP VAC

3 SIMPLE STEPS!



Pumps to heights of 50' (15m)



Pumps up to 6 gallons per minute

9601000
10 Gallon*
3.5 Peak HP

FEATURES:



Powerful motor.



Convenient tool holder, tools are right there when you need them.



Ergonomical elbow grip for more comfortable hand grip while vacuuming.



Extra large tank drain.

6' x 2½" Lock-On® hose, (2) extension wands, 8" utility nozzle, elbow grip, tool holder, hose holder, foam sleeve and ProLong® cartridge filter.

TYPICAL CHARACTERISTICS**

CORD	12 ft.
CARTON DIMENSIONS	18½" x 18½" x 23"
CUBE	4.37
SHIPPING WEIGHT	23
UPC	0 26282 96010 8
CUBIC FT/MINUTE	120
ELECTRIC RATING	120V~ 60Hz 8.1A
SEALED PRESSURE (inches of water)	55
AIR WATTS	210

** Specifications subject to change without notice.

ACCESSORIES



Household use



Shop cleanup



Backyard ponds



Hot tubs



Flooded basements



Backed by a super three year warranty



Get support on our web site: www.shopvac.com

shop-vac® hangup®

Wet/Dry Vacuum

Centralized cleaning convenience for the garage, workshop, hobby area, laundry room or anywhere a hands free vacuum center is needed.

Complete with wall mount bracket and an 18' extra long reach hose for wide area cleaning. Space saving "hang up" design provides a cleaning solution that is there when you need it!



3

Backed by a super three year warranty

9520100
3.5 Gallon*
3.0 Peak HP

TYPICAL CHARACTERISTICS**

CORD	6 ft.
CARTON DIMENSIONS	12¼" x 12¼" x 27"
CUBE	2.34
SHIPPING WEIGHT	14 lbs.
UPC	0 26282 95201 1
CUBIC FT/MINUTE	145
ELECTRIC RATING	120V~ 60Hz 7A
SEALED PRESSURE (inches of water)	53
AIR WATTS	270

** Specifications subject to change without notice.

ACCESSORIES



18' x 1¼" Lock-On® hose, (3) extension wands, 10" wet/dry nozzle, round brush, gulper nozzle, crevice tool, wall mount bracket, tool holder and cartridge filter.

shop-vac® hangup® Mini

Portable Wet/Dry Vacuum

The all purpose portable vac with compact wet/dry cleaning power!

A portable, powerful, lightweight way to tackle any household debris.

Convenient and versatile, the HangUp® Mini is perfect for any quick clean up job in your home, garage, workshop or vehicle.



2

Backed by a super two year warranty

2011600
1 Gallon*
1.5 Peak HP

TYPICAL CHARACTERISTICS**

CORD	6 ft.
CARTON DIMENSIONS	10" x 8⅞" x 15¾"
CUBE	.78
SHIPPING WEIGHT	8 lbs.
UPC	0 26282 20116 4
CUBIC FT/MINUTE	125
ELECTRIC RATING	120V~ 60Hz 6.2A
SEALED PRESSURE (inches of water)	50
AIR WATTS	190

** Specifications subject to change without notice.

ACCESSORIES



4' x 1¼" hose, gulper nozzle, crevice tool, tool holder, wall mount bracket, hose holder, foam sleeve and reusable dry filter.

HangOn[®]

by shop-vac[®]

These HangOn[®] vacs are lightweight and portable.

They can be used for quick wet and dry pick up jobs in your home, garage, workshop or vehicles.

The wall bracket make for easy, compact storage, while the built in tool holder keeps your tools organized.



2

Backed by a super two year warranty



3

Backed by a super three year warranty

2012500
1.5 Gallon*
2.0 Peak HP

TYPICAL CHARACTERISTICS**

CORD	6 ft.
CARTON DIMENSIONS	10 ¹ / ₄ " x 10" x 14 ¹ / ₂ "
CUBE	.86
SHIPPING WEIGHT	8 lbs.
UPC	0 26282 20125 6
CUBIC FT/MINUTE	128
ELECTRIC RATING	120V~ 60Hz 6.5A
SEALED PRESSURE (inches of water)	52
AIR WATTS	190

** Specifications subject to change without notice.

5890200
2.5 Gallon*
2.5 Peak HP

TYPICAL CHARACTERISTICS**

CORD	6 ft.
CARTON DIMENSIONS	12 ³ / ₈ " x 11 ¹ / ₄ " x 15"
CUBE	1.21
SHIPPING WEIGHT	9 lbs.
UPC	0 26282 58902 6
CUBIC FT/MINUTE	130
ELECTRIC RATING	120V~ 60Hz 8A
SEALED PRESSURE (inches of water)	56
AIR WATTS	220

** Specifications subject to change without notice.



4' x 1¹/₄" hose, gulper nozzle, crevice tool, wall mount bracket, reusable dry filter and foam sleeve.



4' x 1¹/₄" hose, gulper nozzle, crevice tool, wall mount bracket, reusable dry filter and foam sleeve.

shop·vac®

mulcher™

YARD VAC

We're taking the hard work, out of yard work™



Pneumatic rear wheels

9639000



Reduces 15 bags of leaves down to just 1!

2 Backed by a super two year warranty

► SPECIFICATIONS**

CORD	6' Mulching head 20' Blower head
CARTON DIMENSIONS	25" x 25" x 39"
CUBE	14.11
SHIPPING WEIGHT	81 lbs.
UPC	0 26282 96390 1
GALLONS	32*

► BLOWER HOUSING TYPICAL CHARACTERISTICS**

PEAK HP	6.5
CUBIC FT/MINUTE	200
ELECTRIC RATING	120V~ 60Hz 12A
SEALED PRESSURE (inches of water)	60
AIR WATTS	385

► MULCHER HOUSING TYPICAL CHARACTERISTICS**

CUBIC FT/MINUTE	300
ELECTRIC RATING	120V~ 60Hz 12A

** Specifications subject to change without notice.

ACCESSORIES:

(3) 3' x 3½" Lock-On® hoses, 3½" hose assist handle, 3½" angle nozzle, 3½" lawn nozzle, 8' x 2½" LockOn® hose, (2) 2½" extension wands, 14" x 2½" wet/dry floor nozzle, 8" x 2½" utility nozzle, 2½" blower nozzle, 2½" concentrator nozzle, 2½" crevice tool, 2½" hose holder, Prolong® cartridge filter (for blower housing), foam sleeve (for blower housing).



3 IN 1
Lawn Care System



1 15:1 Ratio leaf mulcher



2 Powerful yard blower



3 Heavy duty wet/dry vacuum



Detachable blower

We're taking the hard work, out of yard work™

shop-vac® mulcher™ MULCHING KIT



Hose assist handle for quick leaf pick up.

OR



Lawn nozzle for raking leaves right into the mulcher.



Reduces 15 bags of leaves down to just 1!

9639100



Backed by a super two year warranty

TYPICAL CHARACTERISTICS**

CORD	6 ft.
CARTON DIMENSIONS	25¼" x 25¼" x 15½"
CUBE	5.76
SHIPPING WEIGHT	31 lbs.
UPC	0 26282 96391 8
CUBIC FT/MINUTE	300
ELECTRIC RATING	120V~ 60Hz 12A

** Specifications subject to change without notice.

ACCESSORIES



(3) 3' x 3½" LockOn® hoses, hose assist handle, angle nozzle and lawn nozzle.



15:1 Ratio leaf mulcher



Fits most 16" diameter Shop-Vac® tanks

shop-vac® AIR MOVER®

Designed to quickly dry wet carpets and floors, with a second position for drying ceilings.



1030100



Backed by a super one year warranty

TYPICAL CHARACTERISTICS**

CORD	30 ft.
CARTON DIMENSIONS	23 ⁷ / ₈ " x 23 ⁷ / ₈ " x 18 ¹ / ₈ "
CUBE	5.98
SHIPPING WEIGHT	50 lbs.
UPC	0 26282 10301 7
AIRFLOW/CFM	1600
ELECTRIC RATING	120V~ 60Hz 5A

** Specifications subject to change without notice.



3 speed air control



Collapsible transport handle



Units are stackable for easy storage

MIGHTYmini™ AIR MOVER by shop-vac®

Designed to quickly dry wet carpets and floors, with a second and third position for drying walls and ceilings.



1032000



Backed by a super one year warranty


TYPICAL CHARACTERISTICS**

CORD	10 ft.
CARTON DIMENSIONS	15" x 15" x 10 ¹ / ₂ "
CUBE	1.37
SHIPPING WEIGHT	11 lbs.
UPC	0 26282 10320 8
AIRFLOW/CFM	500
ELECTRIC RATING	120V~ 60Hz 1.5A

** Specifications subject to change without notice.



Top carry handle



3 speed air control



Easy access plug in for connecting multiple units

shop·vac® *Air Cleaner*

Air Management System

KEEP YOUR WORKSHOP CLEANER, HEALTHIER AND SAFER!

Filters the air in a 290 sq/ft room every 10 minutes!



1030000

TYPICAL CHARACTERISTICS**


CORD	10 ft.
CARTON DIMENSIONS	26½" x 16½" x 18½"
CUBE	4.59
SHIPPING WEIGHT	18
UPC	0 26282 10300 0
CUBIC FT/MINUTE	235
ELECTRIC RATING	120V~ 60Hz 1.4A

** Specifications subject to change without notice.

- Super quiet operation by long life induction motor.
- Superior airflow (235 CFM) over large filter area.
- Efficient cleaning from 2 stage filter system.
- Lightweight (15 lbs.) enough to carry right to the source of the dust.
- Provides 2000 sq. inches of filtration area to capture particles as small as 5 microns.
- Durable epoxy coated steel tank with molded poly end castings.
- 10' power cord with easy cord storage.
- Removable end grill for convenient filter maintenance.



2 STAGE FILTER SYSTEM



Always Wear Eye Protection



Backed by a super two year warranty



Should your Shop-Vac® product ever need service, call 570-326-3557.



CUSTOMER SERVICE
is just a phone call away...
570-326-3557



Get support at:
www.shopvac.com

©2010 Shop-Vac Corporation
Williamsport, PA 17701
Phone: (570) 326-3557, Fax: (570) 326-7185, www.shopvac.com

All rights reserved.

Shop-Vac®, QSP®, HangUp® Mini, HangOn®, HangUp®, ProLong®, Shop-Vac® Air Mover®, Quiet Deluxe® and Lock-On® are registered trademarks of Shop-Vac Corporation.

SVA0000877